

10/637,099 Search 1

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:SSPTAYLC1626

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

\* \* \* \* \* Welcome to STN International \* \* \* \* \*

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America  
NEWS 2 "Ask CAS" for self-help around the clock  
NEWS 3 DEC 05 CASREACT(R) - Over 10 million reactions available  
NEWS 4 DEC 14 2006 MeSH terms loaded in MEDLINE/LMEDLINE  
NEWS 5 DEC 14 2006 MeSH terms loaded for MEDLINE file segment of TOXCENTER  
NEWS 6 DEC 14 CA/CAPplus to be enhanced with updated IPC codes  
NEWS 7 DEC 21 IPC search and display fields enhanced in CA/CAPplus with the  
IPC reform  
NEWS 8 DEC 23 New IPC8 SEARCH, DISPLAY, and SELECT fields in USPATFULL/  
USPAT2  
NEWS 9 JAN 13 IPC 8 searching in IFIPAT, IFIUDB, and IFICDB  
NEWS 10 JAN 13 New IPC 8 SEARCH, DISPLAY, and SELECT enhancements added to  
INPADOC  
NEWS 11 JAN 17 Pre-1988 INPI data added to MARPAT  
NEWS 12 JAN 17 IPC 8 in the WPI family of databases including WPIFV  
  
NEWS EXPRESS JANUARY 03 CURRENT VERSION FOR WINDOWS IS V8.01,  
CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),  
AND CURRENT DISCOVER FILE IS DATED 19 DECEMBER 2005.  
V8.0 USERS CAN OBTAIN THE UPGRADE TO V8.01 AT  
<http://download.cas.org/express/v8.0-Discover/>  
  
NEWS HOURS STN Operating Hours Plus Help Desk Availability  
NEWS INTER General Internet Information  
NEWS LOGIN Welcome Banner and News Items  
NEWS PHONE Direct Dial and Telecommunication Network Access to STN  
NEWS WWW CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

\* \* \* \* \* STN Columbus \* \* \* \* \*

FILE 'HOME' ENTERED AT 13:37:26 ON 27 JAN 2006

=> d

ENTER NAME OF ITEM TO BE DISPLAYED OR (?):

ENTER NAME OF ITEM TO BE DISPLAYED OR (?):end

=> file registry

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.21

0.21

FILE 'REGISTRY' ENTERED AT 13:37:46 ON 27 JAN 2006  
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
COPYRIGHT (C) 2006 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file  
provided by InfoChem.

STRUCTURE FILE UPDATES: 26 JAN 2006 HIGHEST RN 872781-89-0  
DICTIONARY FILE UPDATES: 26 JAN 2006 HIGHEST RN 872781-89-0

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH JULY 14, 2005

Please note that search-term pricing does apply when  
conducting SmartSELECT searches.

\*\*\*\*\*  
\*  
\* The CA roles and document type information have been removed from \*  
\* the IDE default display format and the ED field has been added, \*  
\* effective March 20, 2005. A new display format, IDERL, is now \*  
\* available and contains the CA role and document type information. \*  
\*  
\*\*\*\*\*


Structure search iteration limits have been increased. See HELP SLIMITS  
for details.

REGISTRY includes numerically searchable data for experimental and  
predicted properties as well as tags indicating availability of  
experimental property data in the original document. For information  
on property searching in REGISTRY, refer to:

<http://www.cas.org/ONLINE/UG/regprops.html>

=>

Uploading C:\Program Files\Stnexp\Queries\10637099\10637099b.str



```

chain nodes :
6  7  14  15  16  17  18  19  20
ring nodes :
1  2  3  4  5  8  9  10  11  12  13
chain bonds :
1-6  3-8  4-7  11-14  14-15  15-16  15-17  16-18  18-19  19-20
ring bonds :
1-2  1-5  2-3  3-4  4-5  8-9  8-13  9-10  10-11  11-12  12-13
exact/norm bonds :
1-2  1-5  1-6  2-3  3-4  4-5  4-7  11-14  14-15  15-17  16-18  18-19  19-20
exact bonds :
3-8  15-16
normalized bonds :
8-9  8-13  9-10  10-11  11-12  12-13

```

```

Match level :
1:Atom  2:Atom  3:Atom  4:Atom  5:Atom  6:CLASS  7:CLASS  8:Atom  9:Atom  10:Atom
11:Atom 12:Atom 13:Atom 14:CLASS 15:CLASS 16:CLASS 17:CLASS 18:CLASS
19:CLASS 20:CLASS


```

L1        STRUCTURE UPLOADED

```

=> d
L1 HAS NO ANSWERS
L1        STR

```



Structure attributes must be viewed using STN Express query preparation.

```

=> s l1
SAMPLE SEARCH INITIATED 13:38:26 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED -        2 TO ITERATE

```

```
100.0% PROCESSED          2 ITERATIONS          2 ANSWERS
SEARCH TIME: 00.00.01
```

L2                      2 SEA SSS SAM L1

```
100.0% PROCESSED          58 ITERATIONS                      57 ANSWERS
SEARCH TIME: 00.00.01
```

=> file caplus		
COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	167.38	167.59

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

L4 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2006 ACS ON STN

ACCESSION NUMBER: 2004:143100 CAPLUS

DOCUMENT NUMBER: 140:199315

TITLE: Preparation of iminothiazolidinone amino acid derivatives as inhibitors of HCV replication  
INVENTOR(S): Romine, Jeffrey Lee; Martin, Scott W.; Snyder, Lawrence B.; Serrano-Wu, Michael; Deshpande, Milind; Whitehouse, Darren; Lemm, Julie; O'Boyle, Donald;

Gao,

PATENT ASSIGNEE(S): Min; Colonna, Richard  
SOURCE: Bristol-Myers Squibb Company, USA  
PCT Int. Appl., 127 pp.  
CODEN: PIXXD2

DOCUMENT TYPE: Patent  
LANGUAGE: English  
FAMILY ACC. NUM. COUNT: 3  
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004014852	A2	20040219	WO 2003-US24717	20030808
WO 2004014852	A3	20040422		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LJ, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
US 2005069522	A1	20050331	US 2003-637156	20030808
US 2005096364	A1	20050505	US 2003-637099	20030808
PRIORITY APPLN. INFO.:		US 2002-402661P	P	20020812
		US 2002-403694P	P	20020815

OTHER SOURCE(S): MARPAT 140:199315


GI

\* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT \*

AB The title compound I [R1 = C1-C6 alkyl, C3-C7 cycloalkyl, C6-C10 aryl, C1-C6 alkoxy, C6-C10 aryloxy, C6-C10 aryl(C1-C6)alkyl, C6-C10 aryl(C1-C6)alkoxy, etc.; R2, R3 = independently C1-C6 alkyl, C3-C7 cycloalkyl, C6-C10 aryl, C1-C6 alkoxy, C6-C10 aryloxy, heterocyclyl, C6-C10 aryl(C1-C6)alkyl, C6-C10 aryl(C1-C6)alkoxy, etc., with the proviso that one of R2 or R3 can be a bond and R2 and R3 are joined to form a cyclic structure; R4 = C1-C4 alkyl, optionally substituted with 1-3 halo, 1-3 oxygen, or 1-3 nitrogen, said R4 having an S stereoconfiguration; R5 = H or a bond wherein R4 and R5 are joined to form a cyclic structure] were prepared as inhibitors of HCV replication. Thus, reaction of 5-(4-aminophenyl)-2-(3-fluorophenyl)imino)-3-furan-2-ylmethylthiazolidin-4-one (preparation given) with


L4 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2006 ACS ON STN (Continued)  
CN Carbamic acid, [(1S)-2-[[4-[2-[(3-fluorophenyl)imino]-3-[(5-methylpyrazinyl)methyl]-4-oxo-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
Double bond geometry unknown.



RN 657412-59-4 CAPLUS  
CN Carbamic acid, [(1S)-2-[[4-[2-[(3-fluorophenyl)imino]-3-[(5-methylpyrazinyl)methyl]-4-oxo-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
Double bond geometry unknown.



RN 657412-67-4 CAPLUS  
CN Carbamic acid, [(1S)-2-[[4-[3-(2-furanylmethyl)-2-[[4-(4-morpholinyl)phenyl]imino]-4-oxo-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

L4 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2006 ACS ON STN (Continued)  
N-benzylloxycarbonyl-L-alanyl chloride gave compd. II. The prep. compds. were assayed for the inhibition of HCV replicon cell line and were classified with activity of EC50 < 0.1 μM, 0.1 μM ≤ EC50 ≤ 1 μM, 1 μM ≤ EC50 ≤ 5 μM, or EC50 ≥ 5 μM.

IT 657412-48-1P 657412-56-1P 657412-59-4P

657412-67-4P 657412-73-2P 657412-89-0P

657412-91-6P 657412-93-6P 657412-95-8P

657412-97-0P 657412-99-2P 657413-00-8P

657413-01-9P 657413-02-0P 657413-05-3P

657413-07-5P 657413-09-7P 657413-10-0P

657413-12-2P 657413-15-5P 657413-17-7P

657413-19-9P 657413-23-5P 657413-25-7P

657413-27-9P 657413-29-1P 657413-31-5P

657413-33-7P 657413-35-9P 657413-38-2P

657413-40-6P 657413-41-7P 657413-44-0P

657413-46-2P 657413-48-4P 657413-52-0P

657413-54-2P 657413-56-4P 657413-58-6P

657413-64-4P 657413-65-5P 657413-68-8P

657413-71-3P 657413-74-6P 657413-83-7P

657413-84-8P 657413-92-8P 657413-93-9P

657413-94-0P 657413-95-1P 657413-96-2P

657413-97-3P 657413-98-4P 657414-05-6P

657414-06-7P 657414-13-6P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)


(preparation of iminothiazolidinone amino acid derivs. as inhibitors of HCV replication)

RN 657412-48-1 CAPLUS

CN Carbamic acid,

[(1S)-2-[[4-[2-[(3-fluorophenyl)imino]-3-(2-furanylmethyl)-4-oxo-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)


Absolute stereochemistry.  
Double bond geometry unknown.



RN 657412-56-1 CAPLUS

L4 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2006 ACS ON STN (Continued)  
oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
Double bond geometry unknown.




RN 657412-73-2 CAPLUS

CN Carbamic acid,

[(1S)-2-[[4-[3-(2-furanylmethyl)-2-(8-isoquinolinylimino)-4-oxo-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
Double bond geometry unknown.




RN 657412-89-0 CAPLUS

CN Carbamic acid, [(1S)-2-[[4-[2-[(3-fluorophenyl)imino]-4-oxo-3-(2-phenoxyethyl)-3-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)


L4 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)

Absolute stereochemistry.  
Double bond geometry unknown.



RN 657412-91-4 CAPLUS  
CN Carbamic acid, [(1S)-2-[[4-[2-[(3-fluorophenyl)imino]-4-oxo-3-[(tetrahydro-1,1-dioxido-3-thienyl)methyl]-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)


Absolute stereochemistry.  
Double bond geometry unknown.



RN 657412-93-6 CAPLUS  
CN Carbamic acid, [(1S)-2-[[4-[2-[(3-fluorophenyl)imino]-4-oxo-3-[[4-(trifluoromethoxy)phenyl]methyl]-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)


Absolute stereochemistry.  
Double bond geometry unknown.

L4 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)  
Double bond geometry unknown.



RN 657412-99-2 CAPLUS  
CN Carbamic acid, [(1S)-2-[[4-[2-[(3-fluorophenyl)imino]-4-oxo-3-[(tetrahydro-2-furyl)methyl]-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
Double bond geometry unknown.




RN 657413-00-8 CAPLUS  
CN Carbamic acid, [(1S)-2-[[4-[2-[(3-fluorophenyl)imino]-4-oxo-3-(3-pyridinylmethyl)-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
Double bond geometry unknown.

L4 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)

RN 657412-95-8 CAPLUS  
CN Carbamic acid, [(1S)-2-[[4-[2-[(3-fluorophenyl)imino]-4-oxo-3-(2-thienyl)ethyl]-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
Double bond geometry unknown.




RN 657412-97-0 CAPLUS  
CN Carbamic acid, [(1S)-2-[[4-[2-[(3-fluorophenyl)imino]-4-oxo-3-[[4-(trifluoromethoxy)phenyl]methyl]-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L4 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)

RN 657413-01-9 CAPLUS  
CN Carbamic acid, [(1S)-2-[[4-[3-[2-(3,4-dimethoxyphenyl)ethyl]-2-[(3-fluorophenyl)imino]-4-oxo-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
Double bond geometry unknown.




PAGE 1-A




RN 657413-02-0 CAPLUS  
CN Carbamic acid, [(1S)-2-[[4-[2-[(3-fluorophenyl)imino]-4-oxo-3-[(2,3,4-trifluorophenyl)methyl]-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
Double bond geometry unknown.




RN 657413-05-3 CAPLUS  
CN Carbamic acid, [(1S)-2-[[4-[3-(2-furanylmethyl)-4-oxo-2-[(3-phenoxyphenyl)imino]-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
Double bond geometry unknown.




RN 657413-07-5 CAPLUS  
CN Carbamic acid, [(1S)-2-[[4-[2-[(3-ethylphenyl)imino]-3-(2-furanylmethyl)-4-oxo-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
Double bond geometry unknown.




RN 657413-09-7 CAPLUS  
CN Carbamic acid, [(1S)-2-[[4-[2-[(2,3-dihydro-1H-inden-5-yl)imino]-3-(2-furanylmethyl)-4-oxo-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
Double bond geometry unknown.




RN 657413-10-0 CAPLUS  
CN Carbamic acid, [(1S)-2-[[4-[2-[(2-chloro-4-methylphenyl)imino]-3-(2-furanylmethyl)-4-oxo-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
Double bond geometry unknown.




RN 657413-12-2 CAPLUS  
CN Carbamic acid, [(1S)-2-[[4-[2-[(3,5-difluorophenyl)imino]-3-(2-furanylmethyl)-4-oxo-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
Double bond geometry unknown.




RN 657413-15-5 CAPLUS  
CN Carbamic acid, [(1S)-2-[[4-[3-(2-furanylmethyl)-2-[[4-(1-methylpropyl)phenyl]imino]-4-oxo-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
Double bond geometry unknown.




RN 657413-17-7 CAPLUS  
CN Carbamic acid, [(1S)-2-[[4-[2-[(3-cyano-5-fluorophenyl)imino]-3-(2-furanylmethyl)-4-oxo-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
Double bond geometry unknown.




RN 657413-19-9 CAPLUS  
 CN Carbamic acid, [(1S)-2-[[4-[3-(2-furanylmethyl)-2-[[2-methoxy-5-(trifluoromethyl)phenyl]imino]-4-oxo-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.




RN 657413-23-5 CAPLUS  
 CN Carbamic acid, [(1S)-2-[[4-[2-[[3-chloro-4-fluorophenyl]imino]-3-(2-furanylmethyl)-4-oxo-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.




RN 657413-25-7 CAPLUS  
 CN Carbamic acid, [(1S)-2-[[4-[2-[[3-chlorophenyl]imino]-3-(2-furanylmethyl)-4-oxo-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.




RN 657413-27-9 CAPLUS  
 CN Carbamic acid, [(1S)-2-[[4-[3-(2-furanylmethyl)-4-oxo-2-[[3-(trifluoromethoxy)phenyl]imino]-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.




RN 657413-29-1 CAPLUS  
 CN Carbamic acid, [(1S)-2-[[4-[2-[[4-fluoro-2-methylphenyl]imino]-3-(2-furanylmethyl)-4-oxo-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.




RN 657413-31-5 CAPLUS  
 CN Carbamic acid, [(1S)-2-[[4-[2-[[2-chloro-4-fluorophenyl]imino]-3-(2-furanylmethyl)-4-oxo-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.



RN 657413-33-7 CAPLUS  
 CN Carbamic acid, [(1S)-2-[[4-[3-(2-furanylmethyl)-4-oxo-2-[[4-(trifluoromethyl)phenyl]imino]-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)


Absolute stereochemistry.  
 Double bond geometry unknown.



RN 657413-35-9 CAPLUS  
 CN Carbamic acid, [(1S)-2-[[4-[2-[[2,3-dihydro-1,4-benzodioxin-6-yl]imino]-3-(2-furanylmethyl)-4-oxo-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)


Absolute stereochemistry.  
 Double bond geometry unknown.






RN 657413-38-2 CAPLUS  
 CN Carbamic acid, [(1S)-2-[[4-[2-[(3-fluoro-4-methoxyphenyl)imino]-3-(2-furanylmethyl)-4-oxo-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.




RN 657413-40-6 CAPLUS  
 CN Carbamic acid, [(1S)-2-[[4-[2-[[4-fluoro-3-(trifluoromethyl)phenyl]imino]-3-(2-furanylmethyl)-4-oxo-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.




RN 657413-41-7 CAPLUS  
 CN Carbamic acid, [(1S)-1-methyl-2-[[4-[3-[(5-methylpyrazinyl)methyl]-2-[[4-(4-morpholinyl)phenyl]imino]-4-oxo-5-thiazolidinyl]phenyl]amino]-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.




RN 657413-44-0 CAPLUS  
 CN Carbamic acid, [(1S)-1-methyl-2-[[4-[2-[[4-(4-morpholinyl)phenyl]imino]-4-oxo-3-(2-pyridinylmethyl)-5-thiazolidinyl]phenyl]amino]-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.




RN 657413-46-2 CAPLUS  
 CN Carbamic acid, methyl[(1S)-1-methyl-2-[[4-[2-[[4-(4-morpholinyl)phenyl]imino]-4-oxo-3-(2-pyridinylmethyl)-5-thiazolidinyl]phenyl]amino]-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.




RN 657413-48-4 CAPLUS  
 CN Carbamic acid, [(1S)-2-[[4-[3-[(3-fluorophenyl)methyl]-4-oxo-2-(3-pyridinylimino)-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.




RN 657413-52-0 CAPLUS  
 CN Carbamic acid, [(1S)-1-methyl-2-[[4-[2-[[4-(4-morpholinyl)phenyl]imino]-4-oxo-3-(4-pyridinylmethyl)-5-thiazolidinyl]phenyl]amino]-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.




RN 657413-54-2 CAPLUS  
 CN Carbamic acid, [(1S)-1-methyl-2-[[4-[2-[[4-(4-morpholinyl)phenyl]imino]-4-oxo-3-(4-pyridinylmethyl)-5-thiazolidinyl]phenyl]amino]-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.




RN 657413-56-4 CAPLUS  
CN Carbamic acid, [(1S)-1-methyl-2-[[4-[2-(methylimino)-4-oxo-3-(2-pyridinylmethyl)-5-thiazolidinyl]phenyl]amino]-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
Double bond geometry unknown.




RN 657413-58-6 CAPLUS  
CN Carbamic acid, [(1S)-1-methyl-2-[[4-[3-methyl-4-oxo-2-[(2-pyridinylmethyl)imino]-5-thiazolidinyl]phenyl]amino]-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
Double bond geometry unknown.




RN 657413-68-8 CAPLUS  
CN Benzeneacetamide, N-[(1S)-2-[[4-[2-[(3-fluorophenyl)imino]-4-oxo-3-(2-pyridinylmethyl)-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
Double bond geometry unknown.




RN 657413-71-3 CAPLUS  
CN Benzeneacetamide, N-[(1S)-1-methyl-2-[[4-[2-[(4-(4-morpholinyl)phenyl)imino]-4-oxo-3-(2-pyridinylmethyl)-5-thiazolidinyl]phenyl]amino]-2-oxoethyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
Double bond geometry unknown.




RN 657413-64-4 CAPLUS  
CN Carbamic acid, [(1S)-2-[[4-[2-[(ethoxycarbonyl)imino]-4-oxo-3-(3-pyridinylmethyl)-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
Double bond geometry unknown.




RN 657413-65-5 CAPLUS  
CN Carbamic acid, [(1S)-1-methyl-2-[[4-[2-[(4-(4-morpholinyl)phenyl)imino]-4-oxo-3-(2-pyridinyl)-5-thiazolidinyl]phenyl]amino]-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
Double bond geometry unknown.




RN 657413-74-6 CAPLUS  
CN Benzeneacetamide, N-[(1S)-1-methyl-2-[[4-[2-[(1-methylethyl)imino]-4-oxo-3-(2-pyridinylmethyl)-5-thiazolidinyl]phenyl]amino]-2-oxoethyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
Double bond geometry unknown.




RN 657413-83-7 CAPLUS  
CN Benzeneacetamide, N-[(1S)-1-methyl-2-[[4-[2-[(methylimino)-4-oxo-3-(2-pyridinylmethyl)-5-thiazolidinyl]phenyl]amino]-2-oxoethyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
Double bond geometry unknown.




RN 657413-84-8 CAPLUS  
 CN Benzeneacetamide, N-[(1S)-1-methyl-2-[[4-[2-[(4-morpholinyl)phenyl]imino]-4-oxo-3-(2-pyridinylmethyl)-5-thiazolidinyl]phenyl]amino]-2-oxoethyl]-α-phenyl- (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.




RN 657413-92-8 CAPLUS  
 CN Benzeneacetamide, α-hydroxy-N-[(1S)-1-methyl-2-[[4-[2-[(1-methylethyl)imino]-4-oxo-3-(2-pyridinylmethyl)-5-thiazolidinyl]phenyl]amino]-2-oxoethyl]-, (αS)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.




RN 657413-95-1 CAPLUS  
 CN Benzeneacetamide, N-[(1S)-2-[[4-[2-[(1-methylethyl)imino]-4-oxo-3-(2-pyridinylmethyl)-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-α-phenyl- (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.




RN 657413-96-2 CAPLUS  
 CN Benzeneacetamide, N-[(1S)-2-[[4-[2-[(3-fluorophenyl)imino]-3-(2-furanylmethyl)-4-oxo-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-α-phenyl- (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.




RN 657413-93-9 CAPLUS  
 CN Benzeneacetamide, α-methyl-N-[(1S)-1-methyl-2-[[4-[2-[(1-methylethyl)imino]-4-oxo-3-(2-pyridinylmethyl)-5-thiazolidinyl]phenyl]amino]-2-oxoethyl]-, (αS)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.




RN 657413-94-0 CAPLUS  
 CN Benzeneacetamide, α-methoxy-N-[(1S)-1-methyl-2-[[4-[2-[(1-methylethyl)imino]-4-oxo-3-(2-pyridinylmethyl)-5-thiazolidinyl]phenyl]amino]-2-oxoethyl]-, (αS)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.




RN 657413-97-3 CAPLUS  
 CN Benzeneacetamide, N-[(1S)-2-[[4-[2-[(3-fluorophenyl)imino]-3-(2-furanylmethyl)-4-oxo-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-α-phenyl- (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.




RN 657413-98-4 CAPLUS  
 CN Benzamide, N-[(1S)-2-[[4-[2-[(3-fluorophenyl)imino]-3-(2-furanylmethyl)-4-oxo-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-α-phenyl- (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.



RN 657414-05-6 CAPLUS  
CN Propanamide, N-[4-{2-[(3-fluorophenyl)imino]-3-(2-furanylmethyl)-4-oxo-5-thiazolidinyl}phenyl]-2-[[[(phenylmethyl)amino]carbonyl]amino]-, (2S)- (9CI) (CA INDEX NAME)



Absolute stereochemistry.  
Double bond geometry unknown.



RN 657414-06-7 CAPLUS  
CN Propanamide, N-[4-{2-[(3-fluorophenyl)imino]-3-(2-furanylmethyl)-4-oxo-5-thiazolidinyl}phenyl]-2-[[[(phenylmethyl)amino]carbonyl]amino]-, (2S)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.  
Double bond geometry unknown.

Absolute stereochemistry.  
Double bond geometry unknown.



RN 657414-13-6 CAPLUS  
CN Benzeneacetamide, N-[[[(1S)-2-[[4-{3-(2-furanylmethyl)-2-[[4-(4-morpholinyl)phenyl]imino]-4-oxo-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
Double bond geometry unknown.



IT 657414-29-4P  
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)  
(preparation of iminothiazolidinone amino acid deriva. as inhibitors of HCV replication)

RN 657414-29-4 CAPLUS  
CN Carbamic acid,  
[[1S]-2-[[4-{2-[(3-fluorophenyl)imino]-3-(2-furanylmethyl)-4-oxo-5-thiazolidinyl}phenyl]amino]-1-methyl-2-oxoethyl]-, 1,1-dimethylethyl ester (9CI) (CA INDEX NAME)

ACCESSION NUMBER: 2004:142910 CAPLUS  
DOCUMENT NUMBER: 140:199742  
TITLE: Preparation of iminothiazolidinone amino acid derivatives as combination pharmaceutical agents for use as inhibitors of HCV replication  
INVENTOR(S): Colonna, Richard; Lemm, Julie; O'Boyle, Donald; Gao, Min; Romine, Jeffrey Lee; Martin, Scott W.; Snyder, Lawrence B.; Serrano-Wu, Michael; Deshpande, Milind; Whitehouse, Darren  
PATENT ASSIGNEE(S): Bristol-Myers Squibb Company, USA  
SOURCE: PCT Int. Appl., 129 pp.  
CODEN: PIXXD2  
DOCUMENT TYPE: Patent  
LANGUAGE: English  
FAMILY ACC. NUM. COUNT: 3  
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004014313	A2	20040219	WO 2003-US25036	20030808
WO 2004014313	A3	20051215		
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MY, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
RM:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
US 2005069522	A1	20050331	US 2003-637156	20030808
US 2005096364	A1	20050505	US 2003-637099	20030808
PRIORITY APPLN. INFO.:			US 2002-402661P	P 20020812
			US 2002-403694P	P 20020815

OTHER SOURCE(S): MARPAT 140:199742  
GI

\* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT \*

AB Disclosed are combination pharmaceutical agents for the treatment of an HCV infection comprising a compound which is effective in inhibiting the function of the HCV NS5A protein and another compound having anti-HCV activity. Comps. which can inhibit the function of the NS5A protein


have structure I (R1, R2, R3 are (cyclo)alkyl, aryl, alkoxy, aryloxy, arylalkyl, etc.; R4 is alkyl, optionally substituted by halogen, oxygen, or nitrogen; R2/R3 and R4/R5 can form rings) or their pharmaceutically-acceptable salt or prodrugs. Comps. having anti-HCV activity are selected from HCV metalloprotease, HCV serine protease, HCV polymerase, HCV helicase, etc. Thus, compound II was prepared by reaction of 5-(4-aminophenyl)-2-[(3-fluorophenyl)imino]-3-(furan-2-ylmethyl)thiazolidin-4-one (preparation given) with N-(benzyloxycarbonyl)-L-alanyl chloride (Cbz-L-Ala-Cl) and showed EC50 = 0.1-1 μM in the HCV

L4 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)

IT 657412-48-1P 657412-56-1P 657412-59-4P  
657412-67-4P 657412-73-2P 657412-89-0P  
657412-91-4P 657412-93-6P 657412-95-8P  
657412-97-0P 657412-99-2P 657413-00-8P  
657413-01-9P 657413-02-0P 657413-05-3P  
657413-07-5P 657413-09-7P 657413-10-0P  
657413-12-2P 657413-15-5P 657413-17-7P  
657413-19-9P 657413-23-5P 657413-25-7P  
657413-27-9P 657413-29-1P 657413-31-5P  
657413-33-7P 657413-35-9P 657413-38-2P  
657413-40-6P 657413-41-7P 657413-44-0P  
657413-46-2P 657413-48-4P 657413-52-0P  
657413-54-2P 657413-56-4P 657413-58-6P  
657413-64-4P 657413-65-5P 657413-68-8P  
657413-71-3P 657413-74-6P 657413-83-7P  
657413-84-8P 657413-92-0P 657413-93-9P  
657413-94-0P 657413-95-1P 657413-96-2P  
657413-97-3P 657413-98-4P 657414-05-6P  
657414-06-7P 657414-13-6P  
RI: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of iminothiazolidinone amino acid derivs. as combination pharmaceutical agents for use as inhibitors of HCV replication)  
RN 657412-48-1 CAPLUS  
CN Carbamic acid, [(1S)-2-[[4-[[2-[(3-fluorophenyl)imino]-3-(2-furanylmethyl)-4-oxo-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)


Absolute stereochemistry.  
Double bond geometry unknown.



RN 657412-56-1 CAPLUS  
CN Carbamic acid, [(1S)-2-[[4-[[2-[(3-fluorophenyl)imino]-4-oxo-3-(2-pyridinylmethyl)-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)


Absolute stereochemistry.

L4 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



RN 657412-73-2 CAPLUS  
CN Carbamic acid, [(1S)-2-[[4-[[3-(2-furanylmethyl)-2-(8-isoquinolinylimino)-4-oxo-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
Double bond geometry unknown.




RN 657412-89-0 CAPLUS  
CN Carbamic acid, [(1S)-2-[[4-[[2-[(3-fluorophenyl)imino]-4-oxo-3-(2-phenoxyethyl)-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
Double bond geometry unknown.


L4 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)

Double bond geometry unknown.



RN 657412-59-4 CAPLUS  
CN Carbamic acid, [(1S)-2-[[4-[[2-[(3-fluorophenyl)imino]-3-[(5-methylpyrazinyl)methyl]-4-oxo-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)


Absolute stereochemistry.  
Double bond geometry unknown.



RN 657412-67-4 CAPLUS  
CN Carbamic acid, [(1S)-2-[[4-[[3-(2-furanylmethyl)-2-[[4-(4-morpholinyl)phenyl]imino]-4-oxo-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)


Absolute stereochemistry.  
Double bond geometry unknown.

L4 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




RN 657412-91-4 CAPLUS  
CN Carbamic acid, [(1S)-2-[[4-[[2-[(3-fluorophenyl)imino]-4-oxo-3-[(tetrahydro-1,1-dioxido-3-thienyl)methyl]-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
Double bond geometry unknown.




RN 657412-93-6 CAPLUS  
CN Carbamic acid, [(1S)-2-[[4-[[2-[(3-fluorophenyl)imino]-4-oxo-3-[[4-(trifluoromethoxy)phenyl]methyl]-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
Double bond geometry unknown.




RN 657412-95-8 CAPLUS  
 CN Carbamic acid, [(1S)-2-[[4-[2-[(3-fluorophenyl)imino]-4-oxo-3-[(2-thienylethyl)-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.



RN 657412-97-0 CAPLUS  
 CN Carbamic acid, [(1S)-2-[[4-[2-[(3-fluorophenyl)imino]-4-oxo-3-[(3-trifluoromethoxyphenyl)methyl]-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)



Absolute stereochemistry.



RN 657413-01-9 CAPLUS  
 CN Carbamic acid, [(1S)-2-[[4-[3-[2-(3,4-dimethoxyphenyl)ethyl]-2-[(3-fluorophenyl)imino]-4-oxo-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)


Absolute stereochemistry.  
 Double bond geometry unknown.

PAGE 1-A



RN 657412-99-2 CAPLUS  
 CN Carbamic acid, [(1S)-2-[[4-[2-[(3-fluorophenyl)imino]-4-oxo-3-[(tetrahydro-2-furanyl)methyl]-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.



RN 657413-00-8 CAPLUS  
 CN Carbamic acid, [(1S)-2-[[4-[2-[(3-fluorophenyl)imino]-4-oxo-3-[(3-pyridinylmethyl)-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)


Absolute stereochemistry.  
 Double bond geometry unknown.

PAGE 2-A




RN 657413-02-0 CAPLUS  
 CN Carbamic acid, [(1S)-2-[[4-[2-[(3-fluorophenyl)imino]-4-oxo-3-[(2,3,4-trifluorophenyl)methyl]-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.




RN 657413-05-3 CAPLUS  
 CN Carbamic acid, [(1S)-2-[[4-[3-[2-(3,4-dimethoxyphenyl)ethyl]-2-[(3-fluorophenyl)imino]-4-oxo-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.




RN 657413-07-5 CAPLUS  
 CN Carbamic acid, [(1S)-2-[[4-[2-[(3-ethylphenyl)imino]-3-(2-furanylmethyl)-4-oxo-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.




RN 657413-09-7 CAPLUS  
 CN Carbamic acid, [(1S)-2-[[4-[2-[(2,3-dihydro-1H-inden-5-yl)imino]-3-(2-furanylmethyl)-4-oxo-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.




RN 657413-15-5 CAPLUS  
 CN Carbamic acid, [(1S)-2-[[4-[3-(2-furanylmethyl)-2-[[4-(1-methylpropyl)phenyl]imino]-4-oxo-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.




RN 657413-17-7 CAPLUS  
 CN Carbamic acid, [(1S)-2-[[4-[2-[(3-cyano-5-fluorophenyl)imino]-3-(2-furanylmethyl)-4-oxo-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.




RN 657413-10-0 CAPLUS  
 CN Carbamic acid, [(1S)-2-[[4-[2-[(2-chloro-4-methylphenyl)imino]-3-(2-furanylmethyl)-4-oxo-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.




RN 657413-12-2 CAPLUS  
 CN Carbamic acid, [(1S)-2-[[4-[2-[(3,5-difluorophenyl)imino]-3-(2-furanylmethyl)-4-oxo-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.




RN 657413-19-9 CAPLUS  
 CN Carbamic acid, [(1S)-2-[[4-[3-(2-furanylmethyl)-2-[[2-methoxy-5-(trifluoromethyl)phenyl]imino]-4-oxo-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.




RN 657413-23-5 CAPLUS  
 CN Carbamic acid, [(1S)-2-[[4-[2-[(3-chloro-4-fluorophenyl)imino]-3-(2-furanylmethyl)-4-oxo-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.




RN 657413-25-7 CAPLUS  
 CN Carbamic acid, [(1S)-2-[[4-[2-[(3-chlorophenyl)imino]-3-(2-furanylmethyl)-4-oxo-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.




RN 657413-27-9 CAPLUS  
 CN Carbamic acid, [(1S)-2-[[4-[3-(2-furanylmethyl)-4-oxo-2-[(3-(trifluoromethoxy)phenyl)imino]-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.




RN 657413-29-1 CAPLUS  
 CN Carbamic acid, [(1S)-2-[[4-[2-[(4-fluoro-2-methylphenyl)imino]-3-(2-furanylmethyl)-4-oxo-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.




RN 657413-31-5 CAPLUS  
 CN Carbamic acid, [(1S)-2-[[4-[2-[(2-chloro-4-fluorophenyl)imino]-3-(2-furanylmethyl)-4-oxo-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.




RN 657413-33-7 CAPLUS  
 CN Carbamic acid, [(1S)-2-[[4-[3-(2-furanylmethyl)-4-oxo-2-[(4-(trifluoromethyl)phenyl)imino]-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.




RN 657413-35-9 CAPLUS  
 CN Carbamic acid, [(1S)-2-[[4-[2-[(2,3-dihydro-1,4-benzodioxin-6-yl)imino]-3-(2-furanylmethyl)-4-oxo-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.



RN 657413-38-2 CAPLUS  
 CN Carbamic acid, [(1S)-2-[[4-[2-[(3-fluoro-4-methoxyphenyl)imino]-3-(2-furanylmethyl)-4-oxo-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)


Absolute stereochemistry.  
 Double bond geometry unknown.



RN 657413-40-6 CAPLUS  
 CN Carbamic acid, [(1S)-2-[[4-[2-[(4-fluoro-3-(trifluoromethyl)phenyl)imino]-3-(2-furanylmethyl)-4-oxo-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)


Absolute stereochemistry.  
 Double bond geometry unknown.






RN 657413-41-7 CAPLUS  
 CN Carbamic acid, [(1S)-1-methyl-2-[[4-[3-[(5-methylpyrazinyl)methyl]-2-[[4-(4-morpholinyl)phenyl]imino]-4-oxo-5-thiazolidinyl]phenyl]amino]-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.




RN 657413-44-0 CAPLUS  
 CN Carbamic acid, [(1S)-1-methyl-2-[[4-[2-[[4-(4-morpholinyl)phenyl]imino]-4-oxo-3-(2-pyridinylmethyl)-5-thiazolidinyl]phenyl]amino]-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.




RN 657413-52-0 CAPLUS  
 CN Carbamic acid, [(1S)-1-methyl-2-[[4-[2-[[4-(4-morpholinyl)phenyl]imino]-4-oxo-3-(3-pyridinylmethyl)-5-thiazolidinyl]phenyl]amino]-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.




RN 657413-54-2 CAPLUS  
 CN Carbamic acid, [(1S)-1-methyl-2-[[4-[2-[[4-(4-morpholinyl)phenyl]imino]-4-oxo-3-(4-pyridinylmethyl)-5-thiazolidinyl]phenyl]amino]-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.




RN 657413-46-2 CAPLUS  
 CN Carbamic acid, methyl[(1S)-1-methyl-2-[[4-[2-[[4-(4-morpholinyl)phenyl]imino]-4-oxo-3-(2-pyridinylmethyl)-5-thiazolidinyl]phenyl]amino]-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.




RN 657413-48-4 CAPLUS  
 CN Carbamic acid, [(1S)-2-[[4-[3-[(3-fluorophenyl)methyl]-4-oxo-2-(3-pyridinylimino)-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.




RN 657413-56-4 CAPLUS  
 CN Carbamic acid, [(1S)-1-methyl-2-[[4-[2-(methylimino)-4-oxo-3-(2-pyridinylmethyl)-5-thiazolidinyl]phenyl]amino]-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.




RN 657413-58-6 CAPLUS  
 CN Carbamic acid, [(1S)-1-methyl-2-[[4-[3-methyl-4-oxo-2-[[2-pyridinylmethyl]imino]-5-thiazolidinyl]phenyl]amino]-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.




RN 657413-64-4 CAPLUS  
 CN Carbamic acid, [(1S)-2-[[4-[2-[(ethoxycarbonyl)imino]-4-oxo-3-(2-pyridinylmethyl)-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.




RN 657413-65-5 CAPLUS  
 CN Carbamic acid, [(1S)-1-methyl-2-[[4-[2-[[4-(4-morpholinyl)phenyl]imino]-4-oxo-3-(2-pyridinyl)-5-thiazolidinyl]phenyl]amino]-2-oxoethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.




RN 657413-74-6 CAPLUS  
 CN Benzeneacetamide, N-[(1S)-1-methyl-2-[[4-[2-[(1-methylethyl)imino]-4-oxo-3-(2-pyridinylmethyl)-5-thiazolidinyl]phenyl]amino]-2-oxoethyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.




RN 657413-83-7 CAPLUS  
 CN Benzeneacetamide, N-[(1S)-1-methyl-2-[[4-[2-(methylimino)-4-oxo-3-(2-pyridinylmethyl)-5-thiazolidinyl]phenyl]amino]-2-oxoethyl]-α-phenyl- (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.




RN 657413-68-8 CAPLUS  
 CN Benzeneacetamide, N-[(1S)-2-[[4-[2-[(3-fluorophenyl)imino]-4-oxo-3-(2-pyridinylmethyl)-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.




RN 657413-71-3 CAPLUS  
 CN Benzeneacetamide, N-[(1S)-1-methyl-2-[[4-[2-[[4-(4-morpholinyl)phenyl]imino]-4-oxo-3-(2-pyridinylmethyl)-5-thiazolidinyl]phenyl]amino]-2-oxoethyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.




RN 657413-84-8 CAPLUS  
 CN Benzeneacetamide, N-[(1S)-1-methyl-2-[[4-[2-[[4-(4-morpholinyl)phenyl]imino]-4-oxo-3-(2-pyridinylmethyl)-5-thiazolidinyl]phenyl]amino]-2-oxoethyl]-α-phenyl- (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.




RN 657413-92-8 CAPLUS  
 CN Benzeneacetamide, α-hydroxy-N-[(1S)-1-methyl-2-[[4-[2-[(1-methylethyl)imino]-4-oxo-3-(2-pyridinylmethyl)-5-thiazolidinyl]phenyl]amino]-2-oxoethyl]-, (αS)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.




RN 657413-93-9 CAPLUS  
 CN Benzeneacetamide, α-methyl-N-[(1S)-1-methyl-2-[[4-[2-[(1-methylethyl)imino]-4-oxo-3-(2-pyridinylmethyl)-5-thiazolidinyl]phenyl]amino]-2-oxoethyl]-, (aS)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.




RN 657413-94-0 CAPLUS  
 CN Benzeneacetamide, α-methoxy-N-[(1S)-1-methyl-2-[[4-[2-[(1-methylethyl)imino]-4-oxo-3-(2-pyridinylmethyl)-5-thiazolidinyl]phenyl]amino]-2-oxoethyl]-, (aS)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.




RN 657413-95-1 CAPLUS  
 CN Benzeneacetamide, N-[(1S)-1-methyl-2-[[4-[2-[(1-methylethyl)imino]-4-oxo-3-(2-pyridinylmethyl)-5-thiazolidinyl]phenyl]amino]-2-oxoethyl]-α-phenyl-, (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.




RN 657413-96-2 CAPLUS  
 CN Benzeneacetamide, N-[(1S)-2-[[4-[2-[(3-fluorophenyl)imino]-3-(2-furanylmethyl)-4-oxo-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.




RN 657413-97-3 CAPLUS  
 CN Benzeneacetamide, N-[(1S)-2-[[4-[2-[(3-fluorophenyl)imino]-3-(2-furanylmethyl)-4-oxo-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.




RN 657413-98-4 CAPLUS  
 CN Benzamide, N-[(1S)-2-[[4-[2-[(3-fluorophenyl)imino]-3-(2-furanylmethyl)-4-oxo-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.




RN 657414-05-6 CAPLUS  
 CN Propanamide, N-[(1S)-2-[[4-[2-[(3-fluorophenyl)imino]-3-(2-furanylmethyl)-4-oxo-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, (2S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.




RN 657414-06-7 CAPLUS  
 CN Propanamide, N-[(1S)-2-[[4-[2-[(3-fluorophenyl)imino]-3-(2-furanylmethyl)-4-oxo-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, (2S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.




RN 657414-13-6 CAPLUS  
 CN Benzeneacetamide, N-[(1S)-2-[[4-[3-(2-furanylmethyl)-2-[[4-(4-morpholinyl)phenyl]imino]-4-oxo-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry.  
 Double bond geometry unknown.



IT 657414-29-4P  
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)  
 (preparation of iminothiazolidinone amino acid deriva. as combination pharmaceutical agents for use as inhibitors of HCV replication)  
 RN 657414-29-4 CAPLUS  
 CN Carbamic acid,  
 [(1S)-2-[[4-[2-[(3-fluorophenyl)imino]-3-(2-furanylmethyl)-4-oxo-5-thiazolidinyl]phenyl]amino]-1-methyl-2-oxoethyl]-, 1,1-dimethylethyl ester (9CI) (CA INDEX NAME)



Uploading C:\Program Files\Stnexp\Queries\10637099\10637099c.str



7 8 9 10 11 12 13

1	2	3	4	5	6	14	15	16	17	18
---	---	---	---	---	---	----	----	----	----	----

1-14   4-7   7-8   8-9   8-10   9-11   11-12   12-13

1-6. 1-2 2-3 3-4 4-5 5-6 14-15 14-18 15-16 16-17 17-18

1-14   4-7   7-8   8-10   9-11   11-12   12-13   14-15   14-18   15-16   16-17   17-18


8-9

1-6    1-2    2-3    3-4    4-5    5-6

```
1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:CLASS 8:CLASS 9:CLASS 10:CLASS
11:CLASS 12:CLASS 13:CLASS 14:Atom 15:Atom 16:Atom 17:Atom 18:Atom
```

$$\Rightarrow d$$

L5 STR



Structure attributes must be viewed using STN Express query preparation.

=> s l1

**REGISTRY INITIATED**

Substance data SEARCH and crossover from CAS REGISTRY in progress...  
Use DISPLAY HITSTR (or FHITSTR) to directly view retrieved structures.

SAMPLE SEARCH INITIATED 13:47:37 FILE 'REGISTRY'  
SAMPLE SCREEN SEARCH COMPLETED - 2 TO ITERATE

100.0% PROCESSED 2 ITERATIONS 2 ANSWERS  
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE \*\*COMPLETE\*\*  
BATCH \*\*COMPLETE\*\*  
PROJECTED ITERATIONS: 2 TO 124  
PROJECTED ANSWERS: 2 TO 124

L6 2 SEA SSS SAM L1

L7 2 L6

=> s l5

**REGISTRY INITIATED**

Substance data SEARCH and crossover from CAS REGISTRY in progress...  
Use DISPLAY HITSTR (or FHITSTR) to directly view retrieved structures.

SAMPLE SEARCH INITIATED 13:47:46 FILE 'REGISTRY'  
SAMPLE SCREEN SEARCH COMPLETED - 29 TO ITERATE

100.0% PROCESSED 29 ITERATIONS 3 ANSWERS  
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE \*\*COMPLETE\*\*  
BATCH \*\*COMPLETE\*\*

PROJECTED ITERATIONS: 257 TO 903  
PROJECTED ANSWERS: 3 TO 163

L8 3 SEA SSS SAM L5

L9 2 L8

=> s l5 full

REGISTRY INITIATED

Substance data SEARCH and crossover from CAS REGISTRY in progress...  
Use DISPLAY HITSTR (or FHITSTR) to directly view retrieved structures.

FULL SEARCH INITIATED 13:59:58 FILE 'REGISTRY'  
FULL SCREEN SEARCH COMPLETED - 568 TO ITERATE

100.0% PROCESSED 568 ITERATIONS 59 ANSWERS  
SEARCH TIME: 00.00.01

L10 59 SEA SSS FUL L5

L11 2 L10

=> file caplus

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	0.46	362.65

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE ENTRY	TOTAL SESSION
CA SUBSCRIBER PRICE	0.00	-1.50

FILE 'CAPLUS' ENTERED AT 14:00:35 ON 27 JAN 2006  
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 27 Jan 2006 VOL 144 ISS 6  
FILE LAST UPDATED: 26 Jan 2006 (20060126/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>

=> s l10

L12 2 L10

=>

---Logging off of STN---

=>

Executing the logoff script...

=> LOG Y

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	1.38	364.03
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
	ENTRY	SESSION
CA SUBSCRIBER PRICE	0.00	-1.50

STN INTERNATIONAL LOGOFF AT 14:02:05 ON 27 JAN 2006



10/637,099

Search 2

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:SSPTAYLC1626

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

\* \* \* \* \* Welcome to STN International \* \* \* \* \*

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America  
NEWS 2 "Ask CAS" for self-help around the clock  
NEWS 3 DEC 05 CASREACT(R) - Over 10 million reactions available  
NEWS 4 DEC 14 2006 MeSH terms loaded in MEDLINE/LMEDLINE  
NEWS 5 DEC 14 2006 MeSH terms loaded for MEDLINE file segment of TOXCENTER  
NEWS 6 DEC 14 CA/CAPLUS to be enhanced with updated IPC codes  
NEWS 7 DEC 21 IPC search and display fields enhanced in CA/CAPLUS with the  
IPC reform  
NEWS 8 DEC 23 New IPC8 SEARCH, DISPLAY, and SELECT fields in USPATFULL/  
USPAT2  
NEWS 9 JAN 13 IPC 8 searching in IFIPAT, IFIUDB, and IFICDB  
NEWS 10 JAN 13 New IPC 8 SEARCH, DISPLAY, and SELECT enhancements added to  
INPADOC  
NEWS 11 JAN 17 Pre-1988 INPI data added to MARPAT  
NEWS 12 JAN 17 IPC 8 in the WPI family of databases including WPIFV  
  
NEWS EXPRESS JANUARY 03 CURRENT VERSION FOR WINDOWS IS V8.01,  
CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),  
AND CURRENT DISCOVER FILE IS DATED 19 DECEMBER 2005.  
V8.0 USERS CAN OBTAIN THE UPGRADE TO V8.01 AT  
<http://download.cas.org/express/v8.0-Discover/>  
  
NEWS HOURS STN Operating Hours Plus Help Desk Availability  
NEWS INTER General Internet Information  
NEWS LOGIN Welcome Banner and News Items  
NEWS PHONE Direct Dial and Telecommunication Network Access to STN  
NEWS WWW CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that  
specific topic.

All use of STN is subject to the provisions of the STN Customer  
agreement. Please note that this agreement limits use to scientific  
research. Use for software development or design or implementation  
of commercial gateways or other similar uses is prohibited and may  
result in loss of user privileges and other penalties.

\* \* \* \* \* STN Columbus \* \* \* \* \*

FILE 'HOME' ENTERED AT 14:03:01 ON 27 JAN 2006

=> ile registry

ILE IS NOT A RECOGNIZED COMMAND

The previous command name entered was not recognized by the system.

For a list of commands available to you in the current file, enter

"HELP COMMANDS" at an arrow prompt (=>).

=> file reg

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

	ENTRY	SESSION
FULL ESTIMATED COST	0.21	0.21

FILE 'REGISTRY' ENTERED AT 14:03:11 ON 27 JAN 2006  
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
COPYRIGHT (C) 2006 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file  
provided by InfoChem.

STRUCTURE FILE UPDATES: 26 JAN 2006 HIGHEST RN 872781-89-0  
DICTIONARY FILE UPDATES: 26 JAN 2006 HIGHEST RN 872781-89-0

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH JULY 14, 2005

Please note that search-term pricing does apply when  
conducting SmartSELECT searches.

```
*****
*
* The CA roles and document type information have been removed from *
* the IDE default display format and the ED field has been added, *
* effective March 20, 2005. A new display format, IDERL, is now *
* available and contains the CA role and document type information. *
*
*****
```


Structure search iteration limits have been increased. See HELP SLIMITS  
for details.

REGISTRY includes numerically searchable data for experimental and  
predicted properties as well as tags indicating availability of  
experimental property data in the original document. For information  
on property searching in REGISTRY, refer to:

<http://www.cas.org/ONLINE/UG/regprops.html>

=>

Uploading C:\Program Files\Stnexp\Queries\10637099\10637099d.str



chain nodes :  
7 8 9 10 11 12 13 14  
ring nodes :  
1 2 3 4 5 6


chain bonds :  
 1-14 4-7 7-8 8-9 8-10 9-11 11-12 12-13  
 ring bonds :  
 1-6 1-2 2-3 3-4 4-5 5-6  
 exact/norm bonds :  
 1-14 4-7 7-8 8-10 9-11 11-12 12-13  
 exact bonds :  
 8-9  
 normalized bonds :  
 1-6 1-2 2-3 3-4 4-5 5-6

Match level :  
 1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:CLASS 8:CLASS 9:CLASS 10:CLASS  
 11:CLASS 12:CLASS 13:CLASS 14:Atom

L1 STRUCTURE UPLOADED

=> d  
 L1 HAS NO ANSWERS  
 L1 STR

Hy



Structure attributes must be viewed using STN Express query preparation.

=> s l1  
 SAMPLE SEARCH INITIATED 14:03:50 FILE 'REGISTRY'  
 SAMPLE SCREEN SEARCH COMPLETED - 6561 TO ITERATE

30.5% PROCESSED 2000 ITERATIONS 31 ANSWERS  
 INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)  
 SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE \*\*COMPLETE\*\*  
 BATCH \*\*COMPLETE\*\*  
 PROJECTED ITERATIONS: 126364 TO 136076  
 PROJECTED ANSWERS: 1428 TO 2638

L2 31 SEA SSS SAM L1

=> file caplus  
COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
0.88	1.09

FULL ESTIMATED COST

FILE 'CAPLUS' ENTERED AT 14:04:06 ON 27 JAN 2006  
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 27 Jan 2006 VOL 144 ISS 6  
FILE LAST UPDATED: 26 Jan 2006 (20060126/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>

=> s l2  
L3 24 L2

=> d his

(FILE 'HOME' ENTERED AT 14:03:01 ON 27 JAN 2006)

FILE 'REGISTRY' ENTERED AT 14:03:11 ON 27 JAN 2006  
L1 STRUCTURE UPLOADED  
L2 31 S L1

FILE 'CAPLUS' ENTERED AT 14:04:06 ON 27 JAN 2006  
L3 24 S L2

=> d ibib abs hitstr 10-24


L3 ANSWER 10 OF 24 CAPLUS COPYRIGHT 2006 ACS on STM (Continued)  
 ACCESSION NUMBER: 2002:465965 CAPLUS  
 DOCUMENT NUMBER: 137:47128  
 TITLE: Preparation of ureido- and carbamoyloxy-substituted amides as inhibitors of factor Xa for the treatment of clotting disorders and tumors.  
 INVENTOR(S): Dorsch, Dieter; Mederski, Werner; Tsaklakis, Christos; Cezanne, Bertram; Gleitz, Johannes; Barnes, Christopher  
 PATENT ASSIGNEE(S): Merck Patent G.m.b.H., Germany  
 SOURCE: PCT Int. Appl., 92 pp.  
 CODEN: PIXXD2  
 DOCUMENT TYPE: Patent  
 LANGUAGE: German  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2002048099	A1	20020620	WO 2001-EP13545	20011121
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
DE 10063008	A1	20020620	DE 2000-10063008	20001216
CA 2431766	AA	20020620	CA 2001-2431766	20011121
AU 2002021881	A5	20020624	AU 2002-21881	20011121
EP 1341755	A1	20030910	EP 2001-270324	20011121
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR				
BR 2001016115	A	20031223	BR 2001-16115	20011121
JP 2004515538	T2	20040527	JP 2002-549632	20011121
NO 2003002695	A	20030613	NO 2003-2695	20030613
US 2004038858	A1	20040226	US 2003-450651	20030616
ZA 2003005455	A	20040826	ZA 2003-5455	20030715
US 2005137230	A1	20050623	US 2005-59655	20050217
PRIORITY APPLN. INFO.:			DE 2000-10063008	A 20001216
			WO 2001-EP13545	W 20011121
			US 2003-450651	A3 20030616


OTHER SOURCE(S): MARPAT 137:47128  
 AB DNHCOXCHR1CONH(CH2)N<sup>EW</sup> [D = (substituted) Ph, pyridyl; R1 = H, Ar, Het, cycloalkyl, (substituted) A; R2 = H, Ar; E = (substituted) phenylene, piperidin-1,4-diyl; W = Ar, Het, N(R2)2, R2, cycloalkyl; X = NH, O; A = (fluoro-substituted) (O-, S-, or CH:CH-interrupted) alkyl; Ar = (substituted) Ph; Het = (aromatic) (substituted) heterocyclyl; n = 0, 1], were prepared. Thus, Z-D-Phe-OH, 2'-methylsulfonylbiphenyl-4-ylamine, N-(3-dimethylaminopropyl)-N'-ethylcarbodiimide hydrochloride, 1-hydroxybenzotriazole, and 4-methylmorpholine were stirred 40 h in DMF to give benzyl [(R)-1-(2'-methylsulfonylbiphenyl-4-ylcarbamoyl)-2-phenylethyl]carbamate. This was hydrogenolyzed in MeOH over Pd/C and the

L3 ANSWER 10 OF 24 CAPLUS COPYRIGHT 2006 ACS on STM (Continued)  
 REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RECORD.  
 FORMAT

L3 ANSWER 10 OF 24 CAPLUS COPYRIGHT 2006 ACS on STM (Continued)  
 product was stirred with 4-chlorophenyl isocyanate in CH2Cl2 to give (R)-2-[3-(4-chlorophenyl)ureido]-N-(2'-methylsulfonylbiphen-4-yl)-3-phenylpropionamide. The latter inhibited factor Xa with IC50 = 8.6 + 10-8 M.  
 IT 438054-08-1P  
 RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)  
 (claimed compound; preparation of ureido- and carbamoyloxy-substituted amides as inhibitors of factor Xa for the treatment of clotting disorders such as strokes and cancer)  
 RN 438054-08-1 CAPLUS  
 CN Hexanamide, 2-[[[(4-chlorophenyl)amino]carbonyl]amino]-N-[4-(4-morpholinyl)phenyl]- (9CI) (CA INDEX NAME)



IT 438055-90-4P  
 RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)  
 (preparation of ureido- and carbamoyloxy-substituted amides as inhibitors of factor Xa for the treatment of clotting disorders such as strokes and cancer)  
 RN 438055-90-4 CAPLUS  
 CN Benzenepropanamide, α-[[[(4-chlorophenyl)amino]carbonyl]amino]-N-[4-(1-piperazinyl)phenyl]-, hydrochloride, (αS)- (9CI) (CA INDEX NAME)  
 Absolute stereochemistry.




● x HCl

L3 ANSWER 11 OF 24 CAPLUS COPYRIGHT 2006 ACS on STM  
 ACCESSION NUMBER: 2002:368463 CAPLUS  
 DOCUMENT NUMBER: 136:386109  
 TITLE: Preparation of amide derivatives as antiherpes agents  
 INVENTOR(S): Kontani, Toru; Miyata, Junji; Hamaguchi, Wataru; Miyazaki, Yoji; Suzuki, Hiroshi; Nakai, Eiichi; Kageyama, Shunji  
 PATENT ASSIGNEE(S): Yamanouchi Pharmaceutical Co., Ltd., Japan; Rational Drug Design Laboratories  
 SOURCE: PCT Int. Appl., 71 pp.  
 CODEN: PIXXD2  
 DOCUMENT TYPE: Patent  
 LANGUAGE: Japanese  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2002038554	A1	20020516	WO 2001-JP9790	20011108
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
CA 2428184	AA	20020516	CA 2001-2428184	20011108
AU 2002012734	A5	20020521	AU 2002-12734	20011108
EP 1340750	A1	20030903	EP 2001-981033	20011108
EP 1340750	B1	20050817		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR				
AT 302197	E	20050915	AT 2001-981033	20011108
US 2004034232	A1	20040219	US 2003-416371	20030512
US 6949543	B2	20050927		
PRIORITY APPLN. INFO.:			JP 2000-344354	A 20001110
			WO 2001-JP9790	W 20011108

OTHER SOURCE(S): MARPAT 136:386109  
 GI




AB The title compds. I [R1, R2 = H, alkyl, etc.; ring A = (un)substituted aryl, etc.; X = CO, SO2; R3 = (un)substituted cycloalkyl, etc.] are prepared. These amide derivs. are useful as drugs and antiviral agents, in particular, preventives or remedies for various diseases caused by the

L3 ANSWER 11 OF 24 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)  
infection with herpesviruses, more specifically, various herpesvirus  
infections such as pox (blister) caused by the infection with varicella  
zoster virus, herpes zoster caused by the recurrent infection with latent  
varicella zoster virus, herpes labialis and herpes encephalitis caused by  
the infection with HSV-1 and genital herpes caused by the infection with  
HSV-2. N-[[[4-(2-Aminothiazol-4-yl)phenyl]carbamoyl]methyl]-4-fluoro-N-  
(2,3-dihydro-1H-indol-6-yl)benzamide dihydrochloride showed EC50 value of  
0.046  $\mu$ M against varicella zoster virus, vs. EC50 value of 4.3  $\mu$ M  
shown by acyclovir.  
IT 425688-37-5P 425689-11-8P  
RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU  
(Therapeutic use); BIOL (Biological study); PREP (Preparation); USES  
(Uses)  
(preparation of amide derivs. as antiherpes agents)  
RN 425688-37-5 CAPLUS  
CN 2H-Pyran-4-carboxamide, N-[2-[[[4-(2-amino-4-thiazolyl)phenyl]amino]-2-  
oxoethyl]tetrahydro-N-(4-methoxyphenyl)-, monohydrochloride (9CI) (CA  
INDEX NAME)




● HCl

RN 425689-11-8 CAPLUS  
CN 2-Thiophenecarboxamide, N-[2-[[[4-(2-amino-4-thiazolyl)phenyl]amino]-2-  
oxoethyl]-N-(4-methoxyphenyl)- (9CI) (CA INDEX NAME)




REFERENCE COUNT: 12 THERE ARE 12 CITED REFERENCES AVAILABLE FOR  
THIS  
FORMAT RECORD. ALL CITATIONS AVAILABLE IN THE RE


L3 ANSWER 12 OF 24 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)  
herpes virus replication and treat herpes infection)  
RN 193346-89-3 CAPLUS  
CN 3-Pyridinecarboxamide, N-[2-[[[4-(2-amino-4-thiazolyl)phenyl]amino]-2-  
oxoethyl]-N-(2-phenylethyl)- (9CI) (CA INDEX NAME)



RN 193347-45-4 CAPLUS  
CN 3-Pyridineacetamide, N-[2-[[[4-(2-amino-4-thiazolyl)phenyl]amino]-2-  
oxoethyl]-N-(phenylmethyl)- (9CI) (CA INDEX NAME)



RN 359713-63-6 CAPLUS  
CN 4-Pyridinecarboxamide, N-[2-[[[4-(2-amino-4-thiazolyl)phenyl]amino]-2-  
oxoethyl]-N-[(3-chlorophenyl)methyl]- (9CI) (CA INDEX NAME)



REFERENCE COUNT: 20 THERE ARE 20 CITED REFERENCES AVAILABLE FOR  
THIS  
FORMAT RECORD. ALL CITATIONS AVAILABLE IN THE RE

L3 ANSWER 12 OF 24 CAPLUS COPYRIGHT 2006 ACS on STN  
ACCESSION NUMBER: 2001:668346 CAPLUS  
DOCUMENT NUMBER: 135:226989  
TITLE: Synthesis of thiazolyl-phenyl-amide derivatives used  
to inhibit herpes virus replication and treat herpes  
infection  
INVENTOR(S): Crute, J. James; Faucher, Anne-Marie; Grygon,  
Christine; Haggrave, Karl D.; Simoneau, Bruno;  
Thavonekham, Bounkham  
PATENT ASSIGNEE(S): Boehringer Ingelheim Ltd., Can.; Boehringer Ingelheim  
Pharma KG  
SOURCE: U.S., 61 pp., Cont.-in-part of U.S. Ser. No. 759,201.  
CODEN: USXXAM  
DOCUMENT TYPE: Patent  
LANGUAGE: English  
FAMILY ACC. NUM. COUNT: 2  
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 6288091	B1	20010911	US 1999-364446	19990730
CN 1207094	A	19990203	CN 1996-199443	19961204
US 6057451	A	20000502	US 1996-759201	19961204
ZA 9610830	A	19970630	ZA 1996-10850	19961223
US 6348477	B1	20020219	US 1999-456857	19991208
US 6458959	B1	20021001	US 2000-685686	20001010
PRIORITY APPLN. INFO.:			US 1993-9433P	P 19931229
			US 1996-23209P	P 19960802
			US 1996-759201	A 19961204
			US 1999-456857	A3 19991208

OTHER SOURCE(S): MARPAT 135:226989  
GI


\* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT \*

AB Title compds. I (R = H, alkyl(amino), amino, alkanoylamino, etc.; Z =  
NR2-C(O)-Q-CH(R3)-NR4R5; R2 = H, alkyl; Q = bond; R3 = H,  
(substituted)phenylalkyl; R4 = H, (substituted)phenylalkyl, indanyl,  
cycloalkyl-alkyl; R5 = (Het)-(Y)-(alkyl)-C(O); Het = pyridinyl; Y = O, S)  
were prepared. Over 200 synthetic examples were disclosed. For instance,  
Boc-glycine was N-benzylated (NaH, PhCH2Br, THF, reflux, 16 h) and the  
product converted to II (i-BuOCOC1, Et3N, DCM, 4'-aminoacetophenone, room  
temperature, 16 h.). Amide II was converted to example compound III (n  
= 0, P =  
Boc, E = CH2Ph) (I2, thiourea, IPA, reflux, 2.5 h.). III (n = 0, P =  
CH2Ph, E = C(=O)Ph) had IC50 = 0.072  $\mu$ M for HSV-1 and EC50 = 0.007  $\mu$ M  
for human cytomegalovirus. I are used for treating herpes infection by  
inhibiting the herpes helicase-primase enzyme complex.  
IT 193346-89-3P 193347-45-4P 359713-63-6P  
RL: BAC (Biological activity or effector, except adverse); BSU  
(Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use);  
BIOL (Biological study); PREP (Preparation); USES (Uses)  
(drug; synthesis of thiazolyl-phenyl-amide derivs. used to inhibit

L3 ANSWER 13 OF 24 CAPLUS COPYRIGHT 2006 ACS on STN  
ACCESSION NUMBER: 2000:441778 CAPLUS  
DOCUMENT NUMBER: 133:75333  
TITLE: Fluorescent dyes for solid phase and solution phase  
screening  
INVENTOR(S): Auer, Manfred; Gstaech, Hubert  
PATENT ASSIGNEE(S): Novartis A.-G., Switz.; Novartis-Erfindungen  
Verwaltungsgesellschaft m.b.H.  
SOURCE: PCT Int. Appl., 76 pp.  
CODEN: PIXXD2  
DOCUMENT TYPE: Patent  
LANGUAGE: English  
FAMILY ACC. NUM. COUNT: 1  
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2000037448	A1	20000629	WO 1999-EP10126	19991220
W: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GN, GW, ML, MR, NE, SN, TD, TG				
US 6207831	B1	20010327	US 1998-217795	19981221
CA 2356344	AA	20000629	CA 1999-2356344	19991220
EP 1140856	A1	20011010	EP 1999-964612	19991220
EP 1140856	B1	20050427		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
JP 200253329	T2	20021008	JP 2000-589520	19991220
AT 294164	E	20050515	AT 1999-964612	19991220
US 2001005752	A1	20010628	US 2001-754958	20010105
US 2005227299	A1	20051013	US 2005-139753	20050527
PRIORITY APPLN. INFO.:			US 1998-217795	A 19981221
			WO 1999-EP10126	W 19991220
			US 2001-754958	A1 20010105

OTHER SOURCE(S): MARPAT 133:75333  
GI




AB The fluorescent dyes suitable for various methods of solid phase and solution phase organic chemical for synthesis of mols., useful in fluorescence based processes for the identification of inhibitors of mol. interactions and for the identification of mols. which bind to target macromols. like peptides proteins, nucleic acids, carbohydrates etc., has a structure I wherein one of R2 and R3 and one of R4 and R5 is hydrogen and another is -COOH, -COOR7, -CONH2, -CONR8R9, NR10R11, etc., one of R5 and R6 is hydrogen and another is hydrogen, halogen, NO2, NR10R11, NHCOR12, etc.,

R7 is carboxyl protecting or carboxyl activating group, R8 or R9 is hydrogen and another is C1-C4 alkyl, Ph, benzyl, etc., R10 and R11 are independently hydrogen, C1-C4 alkyl, or amino protecting group, R12 is ((substituted) C1-C10) alkyl or Ph. Thus benzophenone was reacted with 4-Hydrazino-benzoic acid in methanol for 50 h, then with lead tetracetate for 30-60 min., followed by treatment with boron-trifluoride etherate to give (3-phenyl-1H-indazol-1-yl)benzoic acid, which showing  $\lambda_{\text{max}}$  (absorption) 328 nm  $\epsilon=22569 \text{ M}^{-1}\text{cm}^{-1}$ ,  $\lambda_{\text{max}}$  (emission) 396 nm, and  $\lambda_{\text{max}}$  (excitation) 328 nm.

IT 279249-50-2P  
 RL: IMF (Industrial manufacture); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)  
 (fluorescent dyes for solid phase and solution phase screening)

RN 279249-50-2 CAPLUS  
 CN Benzoic acid,  
 4-[3-[4-[[[(9H-fluoren-9-ylmethoxy)carbonyl]amino]acetyl]amino]phenyl]-1H-indazol-1-yl]- (9CI) (CA INDEX NAME)


PAGE 1-A



L3 ANSWER 14 OF 24 CAPLUS COPYRIGHT 2006 ACS on STN  
 ACCESSION NUMBER: 2000:351518 CAPLUS  
 DOCUMENT NUMBER: 133:4650  
 TITLE: Preparation of heteroaryl-substituted aromatic compounds as antiherpes compounds  
 INVENTOR(S): Simoneau, Bruno; Crute, James J.; Faucher, Anne-Marie; Grygon, Christine A.; Hargrave, Karl D.; Thavonekham, Bounkham  
 PATENT ASSIGNEE(S): Boehringer Ingelheim (Canada) Ltd., Can.  
 SOURCE: PCT Int. Appl., 157 pp.  
 CODEN: PIXXD2  
 DOCUMENT TYPE: Patent  
 LANGUAGE: English  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2000029399	A1	20000525	WO 1999-CA1066	19991109
W: CA, JP, MX, US				
RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
PRIORITY APPLN. INFO.:			US 1998-108272P	P 19981112

OTHER SOURCE(S): MARPAT 133:4650  
 GI




III

AB The title compds. X-Aryl-Y-Z [I: X = 5-6 membered aromatic heterocycle; Aryl = (un)substituted Ph, pyridyl; Y is absent or a bridging group, for example NHC(O)CH2; Z is a terminal group, for example NHC(O)2t-Bu or II], which inhibit the herpes helicase-primase enzyme, rendering the compds. useful as antiviral agents, were prepared E.g., a multi-step synthesis of benzamide III was presented. Biol. data (IC50 and/or EC50 against HSV-1 and HCMV) for compds. I were given.

IT 270565-94-1P  
 RL: BAC (Biological activity or effector, except adverse); BSU (Biological)


PAGE 2-A



REFERENCE COUNT: 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE  
 FORMAT

L3 ANSWER 14 OF 24 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)  
 study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)  
 (prepn. of heteroaryl-substituted arom. compds. as antiherpes compds.)  
 RN 270565-94-1 CAPLUS  
 CN 3-Pyridinecarboxamide,  
 N-[(1S)-2-[[4-(2-amino-4-thiazolyl)phenyl]amino]-1-(cyclohexylmethyl)-2-oxoethyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




REFERENCE COUNT: 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE  
 FORMAT

L3 ANSWER 15 OF 24 CAPLUS COPYRIGHT 2006 ACS on STN  
ACCESSION NUMBER: 2000:314540 CAPLUS  
DOCUMENT NUMBER: 132:334477  
TITLE: Preparation of compounds derived from an amine nucleus  
INVENTOR(S): as inhibitors of IMPDH enzyme  
Liu, Chunjian; Dhar, T. G. Murali; Gu, Henry H.; Iwanowicz, Edwin J.; Leftheris, Katerina; Pitts, William John  
PATENT ASSIGNEE(S): Bristol-Myers Squibb Company, USA  
SOURCE: PCT Int. Appl., 191 pp.  
CODEN: PIXXD2  
DOCUMENT TYPE: Patent  
LANGUAGE: English  
FAMILY ACC. NUM. COUNT: 2  
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2000025780	A1	20000511	WO 1999-US24825	19991022
W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CH, GA, GN, GW, ML, MR, NE, SN, TD, TG				
CA 2348234	AA	20000511	CA 1999-2348234	19991022
EP 1126843	A1	20010829	EP 1999-955142	19991022
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
AU 764479	B2	20030821	AU 2000-11315	19991022
PRIORITY APPLN. INFO.:			US 1998-106186P	P 19981029
			WO 1999-US24825	W 19991022

OTHER SOURCE(S): MARPAT 132:334477  
GI




AB The title compds. XN(R)BD [I: X = (un)substituted monocyclic or bicyclic ring system optionally containing up to 4 heteroatoms selected from N, O, and S; R = H, alkyl; B = (un)substituted monocyclic or bicyclic ring system optionally containing up to 4 heteroatoms selected from N, O, and S; D = (un)substituted monocyclic or bicyclic ring system optionally containing up to

L3 ANSWER 16 OF 24 CAPLUS COPYRIGHT 2006 ACS on STN  
ACCESSION NUMBER: 2000:98525 CAPLUS  
DOCUMENT NUMBER: 132:137396  
TITLE: Phenylazole compounds, process for producing the same and drugs for hyperlipemia  
INVENTOR(S): Umeda, Nobuhiro; Mochizuki, Nobuo; Uchida, Seichi; Nishibe, Tadayuki; Yamada, Hirokazu; Ito, Kunihiro; Horikoshi, Hiromi  
PATENT ASSIGNEE(S): Nippon Soda Co., Ltd., Japan  
SOURCE: PCT Int. Appl., 92 pp.  
CODEN: PIXXD2  
DOCUMENT TYPE: Patent  
LANGUAGE: Japanese  
FAMILY ACC. NUM. COUNT: 1  
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2000006550	A1	20000210	WO 1999-JP4070	19990729
W: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CH, GA, GN, GW, ML, MR, NE, SN, TD, TG				
CA 2339123	AA	20000210	CA 1999-2339123	19990729
AU 9949297	A1	20000221	AU 1999-49297	19990729
AU 753360	B2	20021017		
EP 1101759	A1	20010523	EP 1999-933152	19990729
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
CN 1131217	B	20031217	CN 1999-809019	19990729
JP 2000230280	A2	20001017	JP 1999-216581	19990730
JP 2000281656	A2	20001010	JP 1999-221789	19990804
JP 2000281658	A2	20001010	JP 1999-221790	19990804
US 6342516	B1	20020129	US 2001-744786	20010126
PRIORITY APPLN. INFO.:			JP 1998-218316	A 19980731
			JP 1998-222157	A 19980805
			JP 1999-16846	A 19990126
			JP 1999-19670	A 19990128
			JP 1999-24318	A 19990201
			WO 1999-JP4070	W 19990729


OTHER SOURCE(S): MARPAT 132:137396  
GI

L3 ANSWER 15 OF 24 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)  
4 heteroatoms selected from N, O, and S), useful in treating or preventing IMPDH (inosine-5'-monophosphate dehydrogenase) mediated diseases, such as transplant rejection and autoimmune diseases, were prepd. E.g., a multi-step synthesis of triazole II was given. Compds. I are effective at 0.1-500 mg/kg/day.  
IT 267647-88-19  
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)  
(preparation of compds. derived from an amine nucleus as inhibitors of IMPDH enzyme)  
RN 267647-88-1 CAPLUS  
CN Benzamide, N-[2-[(3-methoxy-4-(5-oxazolyl)phenyl)amino]-2-oxoethyl]- (9CI) (CA INDEX NAME)




REFERENCE COUNT: 1 THERE ARE 1 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE  
FORMAT

L3 ANSWER 16 OF 24 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



AB Phenylpyrazole and phenylimidazole compds. represented by general formula (I) wherein A represents (un)substituted imidazolyl or pyrazolyl; B represents (un)substituted (CH2)k or (CH)k; Y = bond, O, S, SO2, CO, OCH2, C1-5 alkyl-(un)substituted NHCO or NH; Z = (un)substituted and saturated or unsatd. heterocycle containing 1 to 4 N, O or S atoms, (un)substituted benzoquinonyl or naphthoquinonyl or pharmaceutically acceptable salts thereof are prepared. Claimed are drugs for hyperlipemia which contain these compds. I as the active ingredient. Among all compds. wherein Z is substituted chroman-2-yl, 2,3-dihydrobenzofuran-2-yl, etc. have an effect of inhibiting the formation of lipid peroxides too. Thus, 6-hydroxy-2,5,7,8-tetramethylchroman-2-carboxylic acid, 1-(4-aminophenyl)imidazole 4.0, 1-(3-dimethylaminopropyl)-3-ethylcarbodiimide hydrochloride 2.82, 1-hydroxybenzotriazole 2.72 g, and 2.5 mL Et3N were added to 30 mL DMF and stirred at room temperature for 20 h to give title compound (II). II and N-[4-(imidazol-1-yl)phenyl]-1-methyl-3-pyrrolicarboxamide (III) at 25 mg/kg p.o. lowered total serum level of cholesterol 40 and 75%, resp., and serum triglyceride level by 62 and 91%, resp. A tablet formulation containing I was prepared  
IT 256660-58-9P  
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)  
(preparation of phenylazole compds. as hypolipemic and inhibitors of lipid peroxide formation)  
RN 256660-58-9 CAPLUS  
CN 2H-1-Benzopyran-2-carboxamide, 3,4-dihydro-6-hydroxy-N-[2-[(4-(1H-imidazol-1-yl)phenyl)amino]-2-oxoethyl]-N,2,5,7,8-pentamethyl- (9CI) (CA INDEX NAME)






ACCESSION NUMBER: 1999:54926 CAPLUS  
 DOCUMENT NUMBER: 131:184944  
 TITLE: Preparation of phenyl and aryl-fused thiazole derivatives as antiviral agents for suppression and treatment of herpes family viral infections and sexually-transmitted viral diseases  
 INVENTOR(S): Flygare, John A.; Jaen, Juan C.; Kearney, Patrick C.; Medina, Julio C.; Sivaraja, Mohanram  
 SOURCE: Tularik Inc., USA  
 PCT Int. Appl., 70 pp.  
 DOCUMENT TYPE: Patent  
 LANGUAGE: English  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9942455	A1	19990826	WO 1999-US2947	19990210
W:	AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
TM	RW: GH, GM, KE, LS, MW, SD, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG			
AU 9932892	A1	19990906	AU 1999-32892	19990210
PRIORITY APPLN. INFO.:			US 1998-75224P	P 19980219
			WO 1999-US2947	W 19990210

OTHER SOURCE(S): MARPAT 131:184944  
 GI




AB Ph and aryl-fused thiazole derivs. (I) [where X = S, O, NH, or N-lower alkyl; Y = (un)substituted CH or N; or XY = triat. divalent unit of CH, C-alkyl, and N (3 subunits may not all be N); R1 = H, lower alkyl, or taken together with Y forms a 5- or 6-membered ring; R2, R3, and R4 = independently H, (hetero)alkyl, (hetero)arylalkyl, halogen, CN, NO2, (aryl)alkoxy, (un)substituted sulfamoyl, (un)substituted amino, OH, etc.; R5 = H, lower (aryl)alkyl, aryl, (un)substituted amino; with provisos] were prepared as antiviral agents useful in the suppression and treatment of sexually-transmitted viral diseases and herpes family viral infections,

L3 ANSWER 17 OF 24 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)  
 esp. HSV1, HSV2, Epstein Barr virus, and varicella zoster virus. Thus, 2-iodophenacyl bromide was added to thiourea in dioxane and stirred at room temp. for eight hours to yield 2-amino-4-(2-iodophenyl)thiazole

(II). Nine compds. of the invention were tested for antiviral activity using an HSV-1 gel primase assay and exhibited IC50 values ranging from 5 µM to 100 µM.

IT 240136-53-2P  
 RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPM (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses) (preparation of Ph and aryl-fused thiazole derivs. as antiviral agents for herpes family viral infections and sexually-transmitted viral diseases)

RN 240136-53-2 CAPLUS  
 CN Cyclohexanecarboxamide, N-[2-[[4-(2-amino-5-methyl-4-thiazolyl)-2-(trifluoromethyl)phenyl]amino]-2-oxoethyl]-N-[(4-chlorophenyl)methyl]- (9CI) (CA INDEX NAME)



REFERENCE COUNT: 1 THERE ARE 1 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE


FORMAT

ACCESSION NUMBER: 1997:543457 CAPLUS  
 DOCUMENT NUMBER: 127:149142  
 TITLE: Preparation of 4-(aminothiazolyl)acetanilides and analogs as antiherpes agents  
 PATENT ASSIGNEE(S): Boehringer Ingelheim Pharmaceuticals, Inc., USA; Boehringer Ingelheim (Canada) Ltd.  
 SOURCE: PCT Int. Appl., 336 pp.  
 DOCUMENT TYPE: Patent  
 LANGUAGE: English  
 FAMILY ACC. NUM. COUNT: 2  
 PATENT INFORMATION:


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9724343	A1	19970710	WO 1996-US19131	19961204
W:	AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GR, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, UZ, VN, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
RW:	KE, LS, MW, SD, SZ, UG, AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG			
AU 9716828	A1	19970728	AU 1997-16828	19961204
EP 871619	A1	19981021	EP 1996-945567	19961204
EP 871619	B1	20021106		
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO			
CN 1207094	A	19990203	CN 1996-199443	19961204
BR 9612435	A	19990713	BR 1996-12435	19961204
JP 20000502702	T2	20000307	JP 1997-524325	19961204
NZ 331104	A	20000327	NZ 1996-331104	19961204
AT 227279	E	20021113	AT 1996-945567	19961204
ES 2186811	T3	20030516	ES 1996-945567	19961204
CA 2192433	AA	19970630	CA 1996-2192433	19961209
ZA 9610850	A	19970630	ZA 1996-10850	19961223
NO 9802950	A	19980625	NO 1998-2950	19980625
US 6458959	B1	20021001	US 2000-685686	20001010
PRIORITY APPLN. INFO.:			US 1995-9433P	P 19951229
			US 1996-23209P	P 19960802
			US 1996-759201	A3 19961204
			WO 1996-US19131	W 19961204
			US 1999-456857	A3 19991208

OTHER SOURCE(S): MARPAT 127:149142  
 AB 4-RC6H4R1 [1: R = (un)substituted 4-thiazolyl; R1 = NR2CO21CHR3NR4R5, NR2aCO22NR3aR4a, etc.; R2, R2a = H or alkyl; R3 = H, alkyl, (un)substituted phenyl(alkyl); R3a = H, (cyano)alkyl, CH2CH2OH, phenyl(alkyl), etc.; R4 = H, alkyl, phenylalkyl, heterocyclyl, etc.; R4a = alkyl, phenyl(alkyl), etc.; R3R4 = atoms to form a ring; NR3aR4a = heterocyclyl; R5 = alkyl, phenyl(alkyl), heterocyclyl, etc.; Z1 = bond or CH2; Z2 = bond or CO] were prepared for treating herpes infections by inhibiting the herpes helicase-primase enzyme complex. Thus, Me3CO2CNHCH2CO2H was N-alkylated

L3 ANSWER 18 OF 24 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)  
 by PhCH2Br and the product amidated by 4-(H2N)C6H4COMe to give, after  
 cyclocondensation with H2NCSNH2 and deprotection, 1 (R =  
 2-amino-4-thiazolyl, R1 = NHCOCH2NHCH2Ph). Data for biol. activity of 1  
 were given.  
 IT 193346-89-3P 193347-45-4P  
 RL: BAC (Biological activity or effector, except adverse); BSU  
 (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use);  
 BIOL (Biological study); PREP (Preparation); USES (Uses)  
 (preparation of 4-(aminothiazolyl)acetanilides and analogs as  
 antiherpes  
 agents)  
 RN 193346-89-3 CAPLUS  
 CN 3-Pyridinecarboxamide, N-[2-[[4-(2-amino-4-thiazolyl)phenyl]amino]-2-  
 oxoethyl]-N-(2-phenylethyl)- (9CI) (CA INDEX NAME)




RN 193347-45-4 CAPLUS  
 CN 3-Pyridinecarboxamide, N-[2-[[4-(2-amino-4-thiazolyl)phenyl]amino]-2-  
 oxoethyl]-N-(phenylmethyl)- (9CI) (CA INDEX NAME)




L3 ANSWER 19 OF 24 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)  
 ACCESSION NUMBER: 1994:40957 CAPLUS  
 DOCUMENT NUMBER: 121:9957  
 TITLE: Energy transfer in  $\beta$ -turned peptide-bridged  
 porphyrin dimers  
 AUTHOR(S): Tamiaki, Hitoshi; Nomura, Kimiatsu; Maruyama,  
 Kazuhiro  
 CORPORATE SOURCE: Fac. Sci. Eng., Ritsumeikan Univ., Kyoto, 603-77,  
 Japan  
 SOURCE: Bulletin of the Chemical Society of Japan (1993),  
 66(10), 3062-8  
 CODEN: BCSJAS; ISSN: 0009-2673  
 DOCUMENT TYPE: Journal  
 LANGUAGE: English  
 AB  $\beta$ -Turned peptide-bridged diporphyrinyl compds. were prepared. Each of  
 the isomeric monozinc complexes were easily available; metal-free  
 porphyrin-peptide-Zn porphyrin and Zn porphyrin-peptide-metal-free  
 porphyrin. In the isomers, the intramol. energy transfer efficiencies  
 from Zn porphyrin moiety to metal-free porphyrin moiety were the same  
 from  
 anal. of the steady-state fluorescence spectra, indicating that the  
 efficiencies should be independent upon the linked peptide spacer and  
 dependent upon the distance between the porphyrin moieties in the mol.  
 Singlet energy might migrate intramolecularly from the Zn porphyrin  
 moiety  
 to the metal-free one mainly by through-space mechanism.  
 IT 155279-49-5P  
 RL: SPN (Synthetic preparation); PREP (Preparation)  
 (preparation, complexation of, with zinc and absorption spectra of)  
 RN 155279-49-5 CAPLUS  
 CN Glycinamide, 1-[4-[10,15,20-tris(4-methylphenyl)-21H,23H-porphin-5-  
 yl]benzoyl]-D-prolyl-N-[4-[10,15,20-tris(4-methylphenyl)-21H,23H-porphin-5-  
 yl]phenyl]- (9CI) (CA INDEX NAME)  
 Absolute stereochemistry.

L3 ANSWER 19 OF 24 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)

PAGE 1-A



PAGE 1-B




L3 ANSWER 19 OF 24 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)

PAGE 2-A




PAGE 2-B



L3 ANSWER 20 OF 24 CAPLUS COPYRIGHT 2006 ACS on STN  
 ACCESSION NUMBER: 1991:536786 CAPLUS  
 DOCUMENT NUMBER: 115:136786  
 TITLE: Preparation of peptide p-pyridazinylanilides as cardiovascular agents.  
 INVENTOR(S): Bru-Magniez, Nicole; Nicolai, Eric; Teulon, Jean Marie  
 PATENT ASSIGNEE(S): Laboratoires UPSA S. A., Fr.  
 SOURCE: Fr. Demande, 73 pp.  
 CODEN: FRXXBL  
 DOCUMENT TYPE: Patent  
 LANGUAGE: French  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
FR 2646853	A1	19901116	FR 1989-6066	19890509
PRIORITY APPLN. INFO.: FR 1989-6066 19890509				

OTHER SOURCE(S): MARPAT 115:136786  
 GI



AB The title compds. I (R1 = H, alkyl; R2 = H, alkyl, aralkyl, halo, OH, etc.; R3 = H, alkyl; or R2R3 = CH2(XH2)nCH2; n = 1-4; A = pyrrolidinediyl, etc.; B = CHR4X; R4 = H, alkyl, amino; X = CH2SH, CH2SAC, etc.) and their pharmaceutically acceptable salts, useful as cardiotonics, vasodilators, blood platelet aggregation inhibitors, and angiotensin converting enzyme inhibitors, were prepared. Amidation of Z-Pro-Phe-OH (Z = PhCH2O2C) with pyridazinylaniline OH (preparation given), the resulting dipeptide amide Z-Pro-Phe-Q deprotected, and then condensed with AcSCH2CHMeCOC1 in CH2Cl2 containing Et3N to give the title compound AcSCH2CHMeCO-Pro-Phe-Q (II).

In an in vitro experiment using guinea pig heart, II at 7.9 + 10-6 M effected 50% of the maximum inotropic augmentation.


IT 135809-04-0P  
 RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation) (preparation of, as cardiovascular agent)

RN 135809-04-0 CAPLUS  
 CN L-Leucinamide, N-[1-(ethoxycarbonyl)-3-methylbutyl]-L-alanyl-L-prolyl-N-[4-(1,4,5,6-tetrahydro-4-methyl-6-oxo-3-pyridazinyl)phenyl]- (9CI) (CA INDEX)

L3 ANSWER 21 OF 24 CAPLUS COPYRIGHT 2006 ACS on STN  
 ACCESSION NUMBER: 1987:632187 CAPLUS  
 DOCUMENT NUMBER: 107:232187  
 TITLE: Peptide derivatives for enzyme activity measurement  
 INVENTOR(S): Sasaki, Michiro; Ishijima, Cheko; Irie, Yasuo; Yasuda, Naohiko; Nishiyama, Kimiko; Matoba, Katsumoto; Watanabe, Junzo  
 PATENT ASSIGNEE(S): Ajinomoto Co., Inc., Japan; Kokusai Shiyaku K. K.  
 SOURCE: Jpn. Kokai Tokkyo Koho, 22 pp.  
 CODEN: JKKXAF  
 DOCUMENT TYPE: Patent  
 LANGUAGE: Japanese  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 62122599	A2	19870603	JP 1986-152093	19860628
JP 07055942	B4	19950614		
PRIORITY APPLN. INFO.: JP 1985-167129 A1 19850729				

GI



AB Peptides I (R = H, amino protecting group; A1 = phenylalanyl, leucyl, isoleucyl, etc.; A2 = phenylalanyl, valyl, prolyl, etc.; A3 = arginyl, lysyl; m, n = 0, 1) are substrates for enzyme activity determination. A sample containing thrombin was treated with a reagent containing H-D-Phe-Pro-Arg-MA (MA = 4-morpholinoaniline) at 37° for 5 min, followed by treatment with a reagent containing metaphosphoric acid and N-ethyl-N-sulfopropylaniline at room temperature for 10 min and spectrometric anal. at 735 nm for the determination of Chromobin.

IT 111544-55-9P  
 RL: PREP (Preparation) (preparation of, as substrate, for thrombin and other enzyme determination, morpholinoaniline release and determination in relation to)


RN 111544-55-9 CAPLUS  
 CN L-Lysinamide, D-leucyl-L-phenylalanyl-N-[4-(4-morpholinyl)phenyl]-, trihydrochloride (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L3 ANSWER 20 OF 24 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)


(NAME)

Absolute stereochemistry.




IT 135809-27-7P  
 RL: SPN (Synthetic preparation); PREP (Preparation) (preparation of, as intermediate for peptides as cardiovascular agents)

RN 135809-27-7 CAPLUS  
 CN Carbamic acid, [2-oxo-1-phenyl-2-[[4-(1,4,5,6-tetrahydro-6-oxo-3-pyridazinyl)phenyl]amino]ethyl]-, phenylmethyl ester (9CI) (CA INDEX NAME)



L3 ANSWER 21 OF 24 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




●3 HCl

L3 ANSWER 22 OF 24 CAPLUS COPYRIGHT 2006 ACS on STN  
 ACCESSION NUMBER: 1982:142879 CAPLUS  
 DOCUMENT NUMBER: 96:142879  
 TITLE: Antibacterial amide compounds  
 INVENTOR(S): Haskell, Theodore H.; Hutt, Marland P., Jr.; Nicolaides, Ernest D.  
 PATENT ASSIGNEE(S): Warner-Lambert Co., USA  
 SOURCE: U.S., 14 pp. Cont.-in-part of U.S. Ser. No. 19,984, abandoned.  
 CODEN: USXXAM  
 DOCUMENT TYPE: Patent  
 LANGUAGE: English  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 4267180	A	19810512	US 1980-117318	19800131
PRIORITY APPLN. INFO.:			US 1979-19984	A2 19790312

OTHER SOURCE(S): CASREACT 96:142879  
 GI



AB Amoxicillins I (R = N-acetylglucyl, N-acetylalanyl, N-acetylisobutyryl, N-acetylprolyl, N-acetylmethylthionyl, N-acetylvaleryl, N-acetylleucyl, N-acetylglutaminyl, N-acetyltyrosyl; R1 = Ph, 4-HOC6H4, 2-thienyl, 1,4-cyclohexadienyl), useful as bactericides, were prepared by treating amoxicillin (II) with imidazole III. Thus, treating II Me2SO complex

in DMF with III (R = N-acetylglucyl) in the presence of Et3N 2.5 h at room temperature gave I (R = N-acetylglucyl, R1 = 4-HOC6H4), isolated as the Na salt.

IT 79896-65-4P  
 RL: SPN (Synthetic preparation); PREP (Preparation)  
 (preparation of)

RN 79896-65-4 CAPLUS  
 CN 4-Thia-1-azabicyclo[3.2.0]heptane-2-carboxylic acid, 6-[[[[[2-[4-[(2-(acetylamino)-1-oxopropyl)amino]phenyl]-1,4-dihydro-4-oxo-5-pyrimidinyl]carbonyl]amino](4-hydroxyphenyl)acetyl]amino]-3,3-dimethyl-7-oxo-, [2S-(2a,5a,6a[S\*(R\*)]]]- (9CI) (CA INDEX NAME)


Absolute stereochemistry.

L3 ANSWER 23 OF 24 CAPLUS COPYRIGHT 2006 ACS on STN  
 ACCESSION NUMBER: 1981:550681 CAPLUS  
 DOCUMENT NUMBER: 55:150681  
 TITLE: N-(6-[(Acylaminoacylamino or aminoacylamino)phenyl]-1,2-dihydro-2-oxonicotinyl) cephalosporin compounds and compositions containing them  
 INVENTOR(S): Haskell, Theodore Herbert; Schweiss, Dietrich; Mich, Thomas Frederick; Culbertson, Townley Payne  
 PATENT ASSIGNEE(S): Warner-Lambert Co., USA  
 SOURCE: Eur. Pat. Appl., 86 pp.  
 CODEN: EPXXDW  
 DOCUMENT TYPE: Patent  
 LANGUAGE: English  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 15771	A1	19800917	EP 1980-300736	19800311
EP 15771	B1	19840606		
R: AT, BE, CH, DE, FR, GB, IT, LU, NL, SE				
US 4311698	A	19820119	US 1980-112655	19800131
DK 8001037	A	19800913	DK 1980-1037	19800311
AU 8056341	A1	19800918	AU 1980-56341	19800311
AU 530301	B2	19830707		
JP 55147292	A2	19801117	JP 1980-31478	19800311
ZA 8001423	A	19810325	ZA 1980-1423	19800311
ES 489400	A1	19810416	ES 1980-489400	19800311
CA 1147324	A1	19830531	CA 1980-347438	19800311
AT 7789	E	19840615	AT 1980-300736	19800311
ES 497149	A1	19811101	ES 1980-497149	19801126
PRIORITY APPLN. INFO.:			US 1979-19983	A 19790312
			US 1980-112655	A 19800131
			EP 1980-300736	A 19800311

GI

L3 ANSWER 22 OF 24 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



L3 ANSWER 23 OF 24 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




AB Cephalosporins I (R = amino acid or peptide residue; R1 = Ph, 4-HOC6H4, 2-thienyl, 1,4-cyclohexadienyl; R2 = OAc, O2CNH2, heterocyclylthio) were prepared. Thus 4-AcNHC6H4COMe was treated with HCO2Et and NCCH2CONH2 and hydrolyzed to give II which was treated with Ac-Ala-OH, converted to the imidazolidine, and used to acylate the appropriate aminocephem to give III. III had a min. inhibitory concentration against Escherichia coli of 0.4 µg/mL.

IT 77004-11-6P  
 RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation)  
 (preparation and bactericidal activity of)

RN 77004-11-6 CAPLUS  
 CN 5-Thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid, 7-[[[[[6-[4-[[2-(acetylamino)-1-oxopropyl]amino]phenyl]-1,2-dihydro-2-oxo-3-pyridinyl]carbonyl]amino]phenylacetyl]amino]-3-[(acetyloxy)methyl]-8-oxo-, monosodium salt, [6R-(6a,7b)]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




● Na

RL: SPN (Synthetic preparation); PREP (Preparation)  
(prepn. of

ACCESSION NUMBER: 1981:121570 CAPLUS  
DOCUMENT NUMBER: 94:121570  
TITLE: N-(2[(Acylaminoacylamino or aminoacylamino)phenyl]-4-hydroxy-5-pyrimidinylcarbonyl)cephalosporin compounds and compositions containing them  
INVENTOR(S): Haskell, Theodore Herbert; Mich, Thomas Frederick; Sanchez, Joseph Peter; Schweiss, Dietrich  
PATENT ASSIGNEE(S): Warner-Lambert Co., USA  
SOURCE: Eur. Pat. Appl., 81 pp.  
CODEN: EPXXDW  
DOCUMENT TYPE: Patent  
LANGUAGE: English  
FAMILY ACC. NUM. COUNT: 1  
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 15772	A1	19800917	EP 1980-300737	19800311
R: AT, BE, CH, DE, FR, GB, IT, LU, NL, SE				
US 4311699	A	19820119	US 1980-112656	19800131
JP 55147291	A2	19801117	JP 1980-31476	19800311
PRIORITY APPLN. INFO.:			US 1979-19992	A 19790312
			US 1980-112656	A 19800131

GI



AB Cephalosporins I (R = amino acid or peptide residue; R1 = Ph, 4-HOC6H4, 2-thienyl, 1,4-cyclohexadienyl; R2 = OAc, O2CNH2, heterocyclylthio) were prepared. Thus II was prepared by treating cephaloglycine with imidazole III. III was prepared by treating 4-H2NC6H4C(=NH)NH2.2HCl with EtOCH:C(CO2Et)2, acylating the resulting aminophenylpyrimidinecarboxylic


acid with Ac-D-Ala-OH, and converting to the imidazolidine. II had a min. inhibitory concn. against Pseudomonas of 3.1 µg/mL.  
IT 76718-35-9P  
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation)  
(preparation and bactericidal activity of)

RN 76718-35-9 CAPLUS  
CN 5-Thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid,

7-[[[2-[[2-[[2-(acetylamino)-1-oxopropyl]amino]phenyl]-1,4-dihydro-4-oxo-5-pyrimidinyl]carbonyl]amino]phenylacetyl]amino]-3-[[[(aminocarbonyl)oxy]methyl]-8-oxo-, monosodium salt, [6R-(6α,7β)]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

PAGE 1-A



● Na

PAGE 1-B



=>

---Logging off of STN---

=>

Executing the logoff script...

=> LOG Y

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	77.57	78.66
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
	ENTRY	SESSION
CA SUBSCRIBER PRICE	-11.25	-11.25

STN INTERNATIONAL LOGOFF AT 14:05:08 ON 27 JAN 2006